

# Sitio 110V LED Dual Voltage IP65 Bulkhead

*Site Light Series by KSR*



Data Sheet

## Product Information

The new **Site Light Series** by KSR is **110V-240V Dual voltage** specialised site Lighting which are ideal for domestic, commercial or industrial site lighting applications.

**Streamlined** appearance are available with 3 diffuser options **Clear, Opal or Red** making them an ideal range for use on construction **site hoardings, scaffolding** and **general lighting**.

## Product Features

- 2-year warranty
- 110V-240V Dual Voltage
- IP65
- IK08
- Class II
- 8W LED
- 6000K / 5700K / 1000K
- Up to 995 Lumens
- 160° beam angle
- Available with Clear, Opal or Red Diffuser
- Multiple Cable Entry Points
- Horizontal or Vertical Mounting
- Polycarbonate Construction
- L70 – 40,000hrs

KSR5427



KSR5428



## Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	CRI (Ra)	Protection Class
KSR5426	Sitio 8W Dual Voltage IP65 Bulkhead c/w Clear Diffuser	8W	6000K	995lm	80	II
KSR5427	Sitio 8W Dual Voltage IP65 Bulkhead c/w Opal Diffuser	8W	5700K	970lm	82	II
KSR5428	Sitio 8W Dual Voltage IP65 Bulkhead c/w Red Diffuser	8W	1000K	970lm	35	II


## Emergency Parameters

<b>Circuit Wattage</b>	7.8W
<b>PFC</b>	0.9
<b>Battery Type</b>	3.2v 4.5Ah LiFePO4

## Construction

Body: Polycarbonate  
Diffuser: Polycarbonate

## Product Dimensions



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.